

Essais variétaux de blé d'automne 2018 swiss granum

| Statut | Std | Std | Std | Moy. | Tem | Tem | Tem | Tem | Tem | Tem | Tem | Tem | Tem | EC2 | EC2 | EC2 | EC2 | EC2 | EC1 | EC1 | EC1 | EC1 | EC1 | EC1 | EC1 |
|--|--------------|-------------|--------------|--------------|-------------|-------------|-------------|-------------|-------------|-------------|--------------|--------------|--------------|--------------|--------------|-------------|--------------|--------------|--------------|--------------|-------------|--------------|-------------|-------------|-------------|
| Variétés / Classe actuelle | CH Claro | Simano | Montalto | stand. | CH Camedo | CH Nara | Arnold | Baretta | Montalbano | Arina | Hanswin | Genius | Spontan | Royal | Dilago | Rosatch | Poncione | Posmeda | Chilly | Alomar | Cadlino | Razica | Piznair | Diavel | Zisca.5 |
| Caractéristiques pour les calculs d'indices | | | | | | | | | | | | | | | | | | | | | | | | | |
| Rendement BRUT PER., dt/ha | 75.2 | 68.6 | 80.2 | 74.7 | 70.7 | 62.4 | 67.4 | 73.6 | 72.9 | 72.5 | 75.8 | 79.6 | 85.5 | 73.6 | 84.0 | 68.3 | 87.7 | 81.2 | 82.4 | 82.7 | 70.4 | 76.7 | 67.5 | 70.5 | 67.8 |
| Rendement relatif PER, % | 100.7 | 91.9 | 107.4 | 100.0 | 94.7 | 83.6 | 90.3 | 98.6 | 97.6 | 97.1 | 101.5 | 106.6 | 114.5 | 98.6 | 112.5 | 91.5 | 117.5 | 108.8 | 110.4 | 110.8 | 94.3 | 102.7 | 90.4 | 94.4 | 90.8 |
| Rendement PER Appréciation | Ø | -- | + | Ø | - | --- | -- | Ø | Ø | - | Ø | + | +++ | Ø | +++ | -- | +++ | ++ | ++ | ++ | - | + | -- | - | -- |
| Poids à l'hectolitre PER, kg | 79.0 | 79.5 | 77.4 | 78.6 | 79.1 | 79.8 | 82.4 | 77.9 | 79.6 | 81.6 | 82.5 | 80.0 | 79.9 | 82.2 | 81.3 | 81.7 | 77.4 | 79.8 | 78.9 | 76.1 | 80.1 | 81.5 | 78.9 | 80.5 | 80.5 |
| Zélény PER, ml | 68 | 65 | 67 | 66.7 | 68 | 72 | 73 | 65 | 68 | 67 | 66 | 69 | 63 | 71 | 37 | 62 | 48 | 67 | 66 | 67 | 69 | 71 | 69 | 71 | 71 |
| Teneur en protéine PER, % | 14.6 | 15.4 | 14.0 | 14.7 | 14.9 | 16.4 | 16.0 | 14.6 | 15.1 | 15.4 | 14.0 | 14.1 | 13.5 | 14.1 | 12.9 | 16.3 | 13.1 | 13.6 | 13.7 | 13.7 | 14.8 | 14.1 | 15.7 | 15.9 | 15.2 |
| Temps de chute PER | 367 | 380 | 308 | 351.7 | 411 | 397 | 358 | 373 | 424 | 356 | 344 | 414 | 374 | 376 | 294 | 404 | 297 | 357 | 391 | 401 | 400 | 368 | 387 | 383 | 389 |
| Indice Agron. "PER" | 100.7 | 91.9 | 107.4 | 100.0 | 94.7 | 85.1 | 91.8 | 98.6 | 97.6 | 98.6 | 103.0 | 108.1 | 116.0 | 100.1 | 114.0 | 93.0 | 117.5 | 110.3 | 110.4 | 109.3 | 95.8 | 104.2 | 90.4 | 95.9 | 92.3 |
| | | Classe Top | | | Classe I | | Classe II | | | | | | | | | Malus | | | Bonus | | | | Valeur él. | | |

Essais variétaux de blé d'automne 2017-2018 swiss granum

| Statut | Std | Std | Std | Moy. | Tem | Tem | Tem | Tem | Tem | Tem | Tem | Tem | Tem | EC2 | EC2 | EC2 | EC2 | EC2 | |
|--|-------------|-------------|--------------|--------------|-------------|-------------|-------------|-------------|-------------|-------------|--------------|--------------|--------------|-------------|--------------|-------------|--------------|----------------------|--|
| Variétés / Classe actuelle | CH Claro | Simano | Montalto | stand. | CH Camedo | CH Nara | Arnold | Arina | Baretta | Montalbano | Hanswin | Genius | Spontan | Royal | Dilago | Rosatch | Poncione | Posmeda | |
| Caractéristiques pour les calculs d'indices | | | | | | | | | | | | | | | | | | | |
| Rendement BRUT PER., dt/ha | 75.4 | 73.2 | 81.7 | 76.8 | 70.6 | 66.6 | 70.2 | 72.0 | 73.3 | 73.3 | 76.3 | 79.6 | 84.3 | 73.9 | 82.9 | 71.1 | 86.2 | 80.8 | |
| Rendement relatif PER, % | 98.2 | 95.4 | 106.4 | 100.0 | 91.9 | 86.7 | 91.4 | 93.8 | 95.5 | 95.5 | 99.4 | 103.7 | 109.8 | 96.2 | 108.0 | 92.6 | 112.2 | 105.3 | |
| Rendement PER Appréciation | Ø | - | + | Ø | -- | --- | -- | - | - | - | Ø | + | ++ | - | ++ | - | ++ | + | |
| Poids à l'hectolitre PER, kg | 78.9 | 78.8 | 76.7 | 78.1 | 78.4 | 79.9 | 82.5 | 80.7 | 77.2 | 78.7 | 82.0 | 79.6 | 79.1 | 82.0 | 80.3 | 81.4 | 77.0 | 79.6 | |
| Zélény PER, ml | 66.0 | 62.5 | 64.5 | 64.3 | 65.0 | 70.5 | 71.0 | 65.0 | 65.5 | 66.5 | 63.5 | 67.0 | 61.5 | 68.5 | 34.5 | 60.5 | 49.5 | 65.5 | |
| Teneur en protéine PER, % | 14.8 | 15.0 | 13.9 | 14.6 | 14.9 | 16.0 | 15.5 | 15.4 | 14.9 | 15.1 | 14.1 | 14.1 | 13.6 | 14.1 | 13.0 | 16.0 | 13.3 | 13.7 | |
| Temps de chute PER | 364.0 | 382.0 | 310.0 | 352.0 | 408.5 | 388.0 | 343.0 | 346.5 | 367.0 | 424.5 | 340.5 | 419.0 | 374.0 | 370.0 | 297.5 | 395.0 | 308.5 | 363.0 | |
| Indice Agron. "PER" | 98.2 | 95.4 | 106.4 | 100 | 91.9 | 88.2 | 92.9 | 95.3 | 95.5 | 95.5 | 100.9 | 103.7 | 111.3 | 97.7 | 108.0 | 92.6 | 112.2 | 106.8 | |
| | | Classe Top | | | Classe I | | | Classe II | | | | | | | | | | Classe blé fourrager | |

Essais variétaux de blé d'automne 2017 swiss granum

| Statut | Std | Std | Std | Moy. | Tem | Tem | Tem | Tem | Tem | Tem | Tem | EC3 | Tem | EC2 | EC2 | EC2 | EC1 | EC1 | EC1 | EC1 | EC1 | EC1 | EC1 | EC1 | EC1 | |
|--|-------------|--------------|--------------|--------------|-------------|-------------|-------------|-------------|-------------|--------------|----------------------|--------------|--------------|-------------|-------------|--------------|--------------|--------------|-------------|--------------|-------------|--------------|--------------|--------------|--------------|--|
| Variétés / Classe actuelle | CH Claro | Simano | Levis | stand. | Molinera | CH Camedo | CH Nara | Arnold | Arina | Hanswin | Montalto | Cometta | Spontan | Baretta | Montalbano | Genius | Gaudio | Sheriff | Royal | Dilago | Rosatsch | Spluga | Poncione | Linard | Posmeda | |
| Caractéristiques pour les calculs d'indices | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Rendement BRUT PER., dt/ha | 75.6 | 77.8 | 77.6 | 77.0 | 65.0 | 70.4 | 70.7 | 72.9 | 71.5 | 76.8 | 83.1 | 83.0 | 83.1 | 73.0 | 73.7 | 79.6 | 79.8 | 84.8 | 74.1 | 81.8 | 73.9 | 79.8 | 84.6 | 79.5 | 80.4 | |
| Rendement relatif PER, % | 98.2 | 101.0 | 100.8 | 100.0 | 84.4 | 91.4 | 91.8 | 94.7 | 92.9 | 99.7 | 107.9 | 107.8 | 107.9 | 94.8 | 95.7 | 103.4 | 103.6 | 110.1 | 96.2 | 106.2 | 96.0 | 103.6 | 109.9 | 103.2 | 104.4 | |
| Rendement PER Appréciation | Ø | Ø | Ø | Ø | --- | -- | -- | - | - | Ø | ++ | ++ | ++ | - | - | + | + | ++ | - | + | - | + | ++ | + | + | |
| Poids à l'hectolitre PER, kg | 78.7 | 78.0 | 78.1 | 78.3 | 77.7 | 77.7 | 79.9 | 82.5 | 79.8 | 81.4 | 75.9 | 77.7 | 78.3 | 76.4 | 77.8 | 79.1 | 78.8 | 74.0 | 81.8 | 79.3 | 81.1 | 79.6 | 76.5 | 76.8 | 79.4 | |
| Zélény PER, ml | 64 | 60 | 63 | 62.3 | 70 | 62 | 69 | 69 | 63 | 61 | 62 | 59 | 60 | 66 | 65 | 65 | 56 | 47 | 66 | 32 | 59 | 62 | 51 | 61 | 64 | |
| Teneur en protéine PER, % | 15.0 | 14.6 | 14.1 | 14.6 | 16.3 | 14.9 | 15.5 | 15.0 | 15.3 | 14.2 | 13.8 | 13.2 | 13.6 | 15.1 | 15.1 | 14.0 | 13.2 | 12.2 | 14.1 | 13.1 | 15.6 | 14.2 | 13.5 | 14.1 | 13.7 | |
| Temps de chute PER | 361 | 384 | 393 | 379.3 | 349 | 406 | 379 | 328 | 337 | 337 | 312 | 362 | 374 | 361 | 425 | 424 | 383 | 336 | 364 | 301 | 386 | 361 | 320 | 340 | 369 | |
| Indice Agron. "PER" | 98.2 | 101.0 | 100.8 | 100.0 | 84.4 | 91.4 | 93.3 | 96.2 | 94.4 | 101.2 | 106.4 | 107.8 | 107.9 | 94.8 | 95.7 | 103.4 | 103.6 | 108.6 | 97.7 | 107.7 | 97.5 | 105.1 | 109.9 | 103.2 | 105.9 | |
| Indice "Q-Labo" | 83 | 68 | 70 | · · · · | 92 | 76 | 77 | 81 | 61 | 68 | 64 | 60 | 65 | 84 | 82 | 74 | 57 | · · · · | 65 | · · · · | 70 | 67 | · · · · | 66 | 66 | |
| Indice "Q-Panif" | 76 | 54 | 45 | · · · · | 77 | 69 | 57 | 66 | 57 | 55 | 50 | 47 | 55 | 66 | 52 | 64 | 52 | · · · · | 51 | · · · · | 61 | 54 | · · · · | 62 | 50 | |
| Indice tot "Qualité" | 159 | 122 | 115 | · · · · | 169 | 145 | 134 | 147 | 118 | 123 | 114 | 107 | 120 | 150 | 134 | 138 | 109 | · · · · | 116 | · · · · | 131 | 121 | · · · · | 128 | 116 | |
| | Classe Top | | | | Classe I | | | Classe II | | | Classe blé fourrager | | | Malus | | | Bonus | | | Valeur él. | | | | | | |